

ORDINANCE NO. 2022-15

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF TAVARES, FLORIDA, ESTABLISHING THE CRESSWIND LAKE HARRIS COMMUNITY DEVELOPMENT DISTRICT PURSUANT TO CHAPTER 190, FLORIDA STATUTES; PROVIDING FOR THE ESTABLISHMENT AND NAMING OF THE DISTRICT; PROVIDING FOR THE LEGAL DESCRIPTION OF THE EXTERNAL BOUNDARIES OF THE DISTRICT; PROVIDING FOR THE DESCRIPTION OF THE FUNCTIONS AND POWERS OF THE DISTRICT; PROVIDING FOR THE DESIGNATION OF THE INITIAL MEMBERS OF THE DISTRICT'S BOARD OF SUPERVISORS; PROVIDING FOR NOTICE REQUIREMENTS AND FOR COMPLIANCE WITH ALL REMAINING SECTIONS OF CHAPTER 190, FLORIDA STATUTES, AND ALL OTHER APPLICABLE LAWS AND ORDINANCES; PROVIDING FOR SEVERABILITY; AND PROVIDING FOR AN EFFECTIVE DATE.

RECITALS

WHEREAS, the "Uniform Community Development Act of 1980", Chapter 190, *Florida Statutes* ("Act"), sets forth the exclusive and uniform method for establishing a community development district; and

WHEREAS, Section 190.005(2) of the Act requires that a Petition for the Establishment of a Community Development District of less than 2,500 acres be filed by the petitioner with the municipality having jurisdiction over the majority of land in the area in which the district is to be located; and

WHEREAS, Section 190.005(1)(a) of the Act requires that such petition contain certain information to be considered at a public hearing before the City Council of the City of Tavares, Florida ("City"); and

WHEREAS, KH CW Lake Harris LLC, a Florida limited liability company ("Petitioner"), having obtained written consent to the establishment of the Cresswind Lake Harris Community Development District ("District") by the owners of one-hundred percent (100%) of the real property to be included in the District and having presented documents evidencing the control of the real property to be included in the District, has petitioned the City to adopt an ordinance establishing the District pursuant to Chapter 190, *Florida Statutes* (2021); and

WHEREAS, the Petitioner is a Florida limited liability company authorized to conduct business in the State of Florida and whose principal place of business is 105 NE 1st Street, Delray Beach, Florida 33444; and

WHEREAS, the Petition which was submitted to the City on or around August 19, 2022, and has been determined to contain the requisite information as mandated by Section 190.005(1)(a) of the Act; and

WHEREAS, all interested persons and affected units of general-purpose local government have been afforded an opportunity to present oral and written comments on the Petition at a duly noticed public hearing conducted by the City on September 21, 2022; and

WHEREAS, on September 21, 2022, the City considered the record of the public hearing and the factors set forth in Section 190.005(1)(e) of the Act, and upon such review, has determined that granting the District is in the best interest of the City; and

WHEREAS, the establishment of the District shall not act to amend any land development approvals governing the land area to be included within the District; and

WHEREAS, it is believed that the establishment of the District will result in a timely, efficient, effective, responsive and economic way to deliver community development services in the area described in the Petition; and

NOW, THEREFORE, BE IT ENACTED by the City Council of the City of Tavares, Florida, as follows:

SECTION 1. RECITALS INCORPORATED. The above recitals are true and correct and are incorporated herein.

SECTION 2. AUTHORITY. This Ordinance is enacted in compliance with and pursuant to the Uniform Community Development District Act of 1980, codified in Chapter 190, *Florida Statutes*. Nothing contained herein shall constitute an amendment to any land development approvals for the land area included within the District.

SECTION 3. FINDINGS OF FACT. The City hereby finds and determines, pursuant to Section 190.005(2) of the Act, based on the testimony and evidence presented before the City, and the record established at the public hearing that:

- A. All statements within the Petition are true and correct.
- B. Establishment of the District and all land uses and services planned within the proposed District are not inconsistent with applicable elements or portions of the state comprehensive plan, or the City of Tavares Comprehensive Plan.
- C. The area of land within the District, described in Exhibit "A", which is attached hereto and incorporated herein, is of a sufficient size, is sufficiently compact and is sufficiently contiguous to be developed as one functional interrelated community.
- D. The District is the best alternative available for delivering the community development services and facilities to the area that would be served by the District.
- E. The community development services and facilities of the District will not be incompatible with the capacity and uses of existing local and regional community development services and facilities; and
- F. The area to be served by the District is amenable to separate special-district government.

SECTION 4. ESTABLISHMENT AND DISTRICT NAME. There is hereby created

a community development district situated entirely within the incorporated limits of the City of Tavares, Florida, which District shall be known as the "Cresswind Lake Harris Community Development District."

SECTION 5. EXTERNAL BOUNDARIES OF THE DISTRICT. The external boundaries of the District are described in Exhibit "A", and said boundaries encompass 220.09 acres, more or less.

SECTION 6. DISTRICT POWERS AND FUNCTIONS. The powers and functions of the District are described in Chapter 190, *Florida Statutes*. The District shall have all powers and functions granted by the Act pursuant to Sections 190.011 and 190.012(1), (3) and (4), *Florida Statutes*, as amended from time to time. In addition, and pursuant to Section 190.012(2)(a) and (d), *Florida Statutes*, consent is hereby given to the District's Board of Supervisors to finance, fund, plan, establish, acquire, construct, reconstruct, enlarge or extend, equip, operate, and maintain additional systems and facilities for parks and facilities for indoor and outdoor recreational, cultural and educational uses and security, including but not limited to, guardhouses, fences and gates, electronic intrusion-detection systems, and patrol cars. Pursuant to Section 190.002(3), *Florida Statutes*, the District shall not have or exercise any zoning or development permitting powers governing land development or the use of land.

Bonds to be issued by the District shall not constitute a debt, liability or general obligation of the City, the County or of the State of Florida, or of any political subdivision thereof, but shall be payable solely from the Pledged Revenues designated for the Bonds.

This Ordinance is not intended nor shall it be construed to expand, modify or delete any provisions of the Act, as set forth in Chapter 190, *Florida Statutes*, nor shall it be intended to modify, restrict or expand any current prospective development or utility agreements.

SECTION 7. BOARD OF SUPERVISORS. The five persons designated to serve as initial members of the District's Board of Supervisors are Brad Walker, Keith Berg, Mark Bines, Scott Morton and Kevin Lacey.

SECTION 8. NOTICE REQUIREMENTS. Petitioner has caused a notice of a public hearing on the consideration of the Petition to be published in a newspaper at least once a week for four consecutive weeks immediately prior to such hearing in compliance with the provisions of Section 190.005(1)(d), *Florida Statutes*.

SECTION 9. COMPLIANCE WITH ALL REMAINING PROVISIONS OF CHAPTER 190, FLORIDA STATUTES, AND ALL OTHER APPLICABLE PROVISIONS OF LAW. Petitioner has complied with all remaining provisions of Chapter 190, *Florida Statutes* and other provisions of law necessary for the establishment of the District.

SECTION 10. SEVERABILITY. If any section, sentence, clause or phrase of this Ordinance is held to be invalid or unconstitutional by any court of competent jurisdiction, then said holding shall in no way affect the validity of the remaining sections of this Ordinance.


SECTION 11. ADMINISTRATIVE CORRECTION OF SCRIVENER'S ERRORS.

The administrative correction of typographical and/or scrivener's errors in this Ordinance which do not affect the intent may be authorized by the City Manager or designee, without need of public hearing, by filing a corrected or recodified copy of same with the City Clerk.

SECTION 12. EFFECTIVE DATE. This Ordinance shall take effect upon its approval and publication as required by law.

PASSED AND DULY ADOPTED by the City Council of the City of Tavares, Florida, meeting in Regular Session this 21st day of September 2022.

CITY COUNCIL
OF TAVARES, FLORIDA



Lori A. Pfister, Mayor

Passed First Reading: September 7, 2022


Passed Second Reading: September 21, 2022

ATTEST:



Susie Novack
City Clerk

APPROVED AS TO FORM:

By: 

Lindsay Holt
City Attorney

EXHIBIT A
LEGAL DESCRIPTION

CRESSWIND LAKE HARRIS COMMUNITY DEVELOPMENT DISTRICT
LEGAL DESCRIPTION

PARCEL 1:

GOVERNMENT LOTS 1, 2, AND 3 AND THE NORTH 1/2 OF GOVERNMENT LOT 4 AND THE NORTH 571 FEET OF GOVERNMENT LOT 6, TOGETHER WITH LOTS 1 THROUGH 9, INCLUSIVE, OF WEBLEY'S SUBDIVISION, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 1, PAGE 22, PUBLIC RECORDS OF SUMTER COUNTY, FLORIDA, ALL LYING WITHIN SECTION 35, TOWNSHIP 19 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA. ALSO, LOTS 10 THROUGH 13, INCLUSIVE, OF WEBLEY'S SUBDIVISION, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 1, PAGE 22, PUBLIC RECORDS OF SUMTER COUNTY, FLORIDA; AND THE SOUTH 1/2 OF GOVERNMENT LOT 5, LESS THE ROAD RIGHT-OF-WAY; AND GOVERNMENT LOT 4 AND THE NORTH 1/4 OF GOVERNMENT LOT 5; AND GOVERNMENT LOT 6, LYING SOUTH OF ROAD, ALL LYING IN SECTION 36, TOWNSHIP 19 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA.

LESS:

THAT PART LYING WITHIN A REPLAT OF THE PENINSULA, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 36, PAGES 32 THROUGH 34, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA,

AND LESS:

THAT PART CONVEYED IN OFFICIAL RECORDS BOOK 2730, PAGE 1287, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

THAT PORTION OF GOVERNMENT LOT NO. 2, IN SECTION 35, TOWNSHIP 19 SOUTH, RANGE 25 EAST, CITY OF TAVARES, LAKE COUNTY, FLORIDA, LYING 75.00 FEET NORTH OF, WHEN MEASURED AT RIGHT ANGLES AND PARALLEL WITH, THE NORTH LINE OF LOT 18 OF A REPLAT OF THE PENINSULA, AS RECORDED IN PLAT BOOK 36, PAGES 32 THROUGH 34, OF THE PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, BEING BOUNDED ON THE WEST BY THE WATERS OF LAKE HARRIS AND ON THE EAST BY THE NORTHERLY EXTENSION OF THE EAST LINE OF SAID LOT 18.

AND,

PARCEL 2:

THE NORTH 1/2 OF GOVERNMENT LOTS 2 AND 3, LYING IN SECTION 1, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA, TOGETHER WITH AN INGRESS/EGRESS GRANTED IN DEED BOOK 295, PAGE 233, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA.

LESS AND EXCEPT THOSE CERTAIN ENCROACHMENTS OF THE IMPROVEMENTS RELATIVE TO THE SUBDIVISION COMMONLY KNOWN AS THE "PENINSULA" ON THE ABOVE IDENTIFIED PROPERTY, AS SUCH ENCROACHMENTS ARE MORE PARTICULARLY DEPICTED ON THE "EXISTING SURVEY" OR "NEW SURVEY", AS THOSE TERMS ARE DEFINED IN THE AGREEMENT FOR SALE AND PURCHASE OF REAL PROPERTY DATED SEPTEMBER 6, 2005.

MORE PARTICULARLY DESCRIBED AS:

PARCEL A:

THAT PORTION OF SECTIONS 35 AND 36 TOWNSHIP 19 SOUTH, RANGE 25 EAST, AND THAT PORTION OF WEBLEY'S SUBDIVISION, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 1, PAGE 22, PUBLIC RECORDS OF SUMTER COUNTY, FLORIDA, ALL LYING WITHIN LAKE COUNTY, FLORIDA DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SAID SECTION 36; THENCE RUN N00°39'25"E ALONG THE EAST LINE OF SAID SECTION 35 A DISTANCE OF 409.00 FEET; THENCE DEPARTING SAID EAST LINE RUN N89°10'45"W A DISTANCE OF 10.18 FEET TO THE WESTERLY AND NORTHERLY RIGHT OF WAY OF LANE PARK/WOODLEA ROAD PER MAINTENANCE MAP DATED SEPTEMBER 15, 2004 AS RECORDED IN MAINTENANCE MAP BOOK 9, PAGES 89 THROUGH 94, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, SAID POINT BEING THE POINT OF BEGINNING; THENCE CONTINUE N89°10'45"W A DISTANCE OF 2321.90 FEET TO THE SOUTHEAST CORNER OF A REPLAT OF THE PENINSULA AS RECORDED IN PLAT BOOK 36, PAGES 32 THROUGH 34, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA; THENCE RUN ALONG THE EASTERLY LINE OF SAID PLAT THE FOLLOWING EIGHT COURSES: THENCE N10°55'01"W A DISTANCE OF 75.30 FEET TO THE POINT OF CURVATURE OF A NON-TANGENT CURVE CONCAVE TO THE WEST AND HAVING A RADIUS OF 50.00 FEET TO WHICH A RADIAL LINE BEARS S10°55'01"E; THENCE RUN NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 160°31'44" AN ARC DISTANCE OF 140.09 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHEASTERLY AND HAVING A RADIUS OF 25.00 FEET; THENCE RUN NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 70°31'44" AN ARC DISTANCE OF 30.77 FEET; THENCE RUN N10°55'01"W A DISTANCE OF 50.08 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 775.00 FEET; THENCE RUN NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 16°46'39" AN ARC DISTANCE OF 226.94 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHEASTERLY AND HAVING A RADIUS OF 725.00 FEET; THENCE RUN NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 01°31'04" AN ARC DISTANCE OF 19.21 FEET; THENCE RUN N86°23'51"E A DISTANCE OF 125.00 FEET; THENCE RUN N18°21'38"W A DISTANCE OF 30.43 FEET; THENCE DEPARTING SAID EAST LINE RUN N82°45'10"E A DISTANCE OF 40.17 FEET; THENCE RUN N12°57'32"W A DISTANCE OF 140.84 FEET; THENCE RUN N89°45'43"W A DISTANCE OF 55.58 FEET TO THE AFORESAID EAST LINE OF SUBDIVISION; THENCE RUN ALONG SAID EAST LINE THE FOLLOWING SEVEN COURSES: N18°21'38"W A DISTANCE OF 24.50 FEET; THENCE RUN N89°50'46"W A DISTANCE OF 125.00 FEET TO THE POINT OF CURVATURE OF A NON-TANGENT CURVE TO WHICH A RADIAL LINE BEARS S80°43'04"W AND HAVING A RADIUS OF 725.00 FEET; THENCE RUN NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 07°00'25" AN ARC DISTANCE OF 88.66 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 775.00 FEET; THENCE RUN NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 10°07'27" AN ARC DISTANCE OF 136.94 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF 975.00 FEET; THENCE RUN NORTHERLY THROUGH A CENTRAL ANGLE OF 16°14'03" AN ARC DISTANCE OF 276.26 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 1025.00 FEET; THENCE RUN NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 15°48'01" AN ARC DISTANCE OF 282.66 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHEASTERLY AND HAVING A RADIUS OF 975.00 FEET; THENCE RUN NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 14°36'37" AN ARC DISTANCE OF 248.62 FEET;

THENCE DEPARTING SAID EAST LINE RUN N88°04'51"E A DISTANCE OF 87.56 FEET; THENCE RUN N00°15'24"E A DISTANCE OF 216.63 FEET; THENCE RUN N02°04'11"W A DISTANCE OF 221.93 FEET; THENCE RUN N88°24'11"W A DISTANCE OF 86.55 FEET TO THE AFORESAID EAST LINE OF SUBDIVISION, SAID POINT BEING ON A NON-TANGENT CURVE TO WHICH A RADIAL LINE BEARS N87°51'04"W AND HAVING A RADIUS OF 725.00 FEET; THENCE RUN ALONG SAID EAST BOUNDARY THE FOLLOWING FIVE COURSES: NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 05°04'46" AN ARC DISTANCE OF 64.27 FEET; THENCE RUN N07°13'44"E A DISTANCE OF 117.22 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 25.00 FEET; THENCE RUN NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 70°31'44" AN ARC DISTANCE OF 30.77 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 50.00 FEET; THENCE RUN NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 70°31'44" AN ARC DISTANCE OF 61.55 FEET; THENCE RUN N07°13'44"E A DISTANCE OF 24.69 FEET; THENCE DEPARTING SAID EAST LINE RUN S71°57'15"E A DISTANCE OF 57.01 FEET; THENCE RUN N23°09'55"E A DISTANCE OF 113.13 FEET; THENCE RUN N70°24'13"W A DISTANCE OF 191.79 FEET; THENCE RUN N06°46'44"E A DISTANCE OF 39.32 FEET; THENCE RUN N89°10'45"W A DISTANCE OF 282.00 FEET, MORE OR LESS TO THE WATER'S EDGE OF LAKE HARRIS AND HAVING A TIE WITNESS MONUMENT N89°10'45"W AT A DISTANCE OF 239.78 FEET THAT IS 42± FEET EASTERLY OF LAKE'S EDGE; THENCE RUN NORTHERLY AND EASTERLY ALONG SAID LAKE'S EDGE AND HAVING A TIE LINE FOR THE FOLLOWING 15 COURSES: THENCE RUN FROM SAID TIE WITNESS MONUMENT N03°26'08"E A DISTANCE OF 175.63 FEET; THENCE RUN N23°30'38"E A DISTANCE OF 307.44 FEET; THENCE RUN N29°42'44"E A DISTANCE OF 358.39 FEET; THENCE RUN N72°42'02"E A DISTANCE OF 493.09 FEET; THENCE RUN N82°31'03"E A DISTANCE OF 426.79 FEET; THENCE RUN N83°10'35"E A DISTANCE OF 516.10 FEET; THENCE RUN S57°52'37"E A DISTANCE OF 899.04 FEET; THENCE RUN S47°58'40"E A DISTANCE OF 550.80 FEET; THENCE RUN S86°38'10"E A DISTANCE OF 306.43 FEET; THENCE RUN S44°33'38"E A DISTANCE OF 271.29 FEET; THENCE RUN S78°28'04"E A DISTANCE OF 145.76 FEET; THENCE RUN S44°10'51"E A DISTANCE OF 445.79 FEET; THENCE RUN S20°26'30"E A DISTANCE OF 305.25 FEET; THENCE RUN S07°18'18"E A DISTANCE OF 420.42 FEET; THENCE RUN S42°49'15"E A DISTANCE OF 280.70 FEET TO A TIE WITNESS MONUMENT THAT IS 1034 FEET, MORE OR LESS, S00°39'44"W OF THE EDGE OF LAKE; THENCE RUN FROM THE EDGE OF LAKE S00°39'34"W A DISTANCE OF 1538 FEET, MORE OR LESS, AND HAVING A TIE OF S00°39'37"W A DISTANCE OF 506.84 FEET FROM THE TIE WITNESS MONUMENT TO THE AFORESAID NORTHERLY RIGHT OF WAY OF WOODLEA/LANE PARK ROAD SAID POINT BEING ON A NON-TANGENT CURVE CONCAVE SOUTHWESTERLY TO WHICH A RADIAL LINE BEARS N17°08'20"E AND HAVING A RADIUS OF 959.28 FEET; THENCE RUN ALONG THE NORTHERLY AND WESTERLY RIGHT OF WAY LINE OF SAID WOODLEA/LANE PARK ROAD THE FOLLOWING 14 COURSES: NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 14°58'36" AN ARC DISTANCE OF 250.75 FEET; THENCE RUN N88°27'21"W A DISTANCE OF 21.28 FEET; THENCE RUN N01°32'39"E A DISTANCE OF 2.00 FEET; THENCE RUN N88°27'21"W A DISTANCE OF 298.62 FEET; THENCE RUN N01°32'39"E A DISTANCE OF 1.00 FEET; THENCE RUN N88°27'21"W 237.39 FEET; THENCE RUN S01°32'39"W A DISTANCE OF 7.00 FEET; THENCE RUN N88°27'21"W A DISTANCE OF 118.94 FEET; THENCE RUN N01°32'39"E A DISTANCE OF 6.00 FEET; THENCE RUN N88°27'21"W A DISTANCE OF 105.45 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTHEAST AND HAVING A RADIUS OF 248.00 FEET; THENCE RUN SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 44°45'32" AN ARC DISTANCE OF 193.74 FEET; THENCE RUN S46°47'07"W A DISTANCE OF 20.81 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 352.21 FEET; THENCE RUN SOUTHWESTERLY

ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF $46^{\circ}09'07''$ AN ARC DISTANCE OF 283.71 FEET; THENCE RUN $S00^{\circ}38'00''W$ A DISTANCE OF 577.95 FEET TO THE POINT OF BEGINNING.

PARCEL B:

THAT PORTION OF SECTION 36, TOWNSHIP 19 SOUTH, RANGE 25 EAST, AND SECTION 1, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SAID SECTION 36; THENCE RUN $S89^{\circ}10'49''E$ ALONG THE SOUTH LINE OF SAID SECTION 36 A DISTANCE OF 30.00 FEET TO THE EASTERLY AND SOUTHERLY RIGHT OF WAY LINE OF LANE PARK/WOODLEA ROAD PER MAINTENANCE MAP DATED SEPTEMBER 15, 2004 AS RECORDED IN MAINTENANCE MAP BOOK 9, PAGES 89 THROUGH 94, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, SAID POINT BEING THE POINT OF BEGINNING; THENCE DEPARTING SAID SOUTH LINE RUN ALONG SAID EASTERLY AND SOUTHERLY RIGHT OF WAY THE FOLLOWING 19 COURSES: $N00^{\circ}38'00''E$ A DISTANCE OF 987.04 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 312.21 FEET; THENCE RUN NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF $29^{\circ}17'52''$ AN ARC DISTANCE OF 159.65 FEET; THENCE RUN $N60^{\circ}04'08''W$ A DISTANCE OF 9.00 FEET TO A POINT ON A NON-TANGENT CURVE CONCAVE SOUTHEASTERLY TO WHICH A RADIAL LINE BEARS $N60^{\circ}04'08''W$ AND HAVING A RADIUS OF 321.21 FEET; THENCE RUN NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF $16^{\circ}51'15''$ AN ARC DISTANCE OF 94.49 FEET; THENCE RUN $N46^{\circ}47'07''E$ A DISTANCE OF 20.81 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 217.00 FEET; THENCE RUN NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF $44^{\circ}45'32''$ AN ARC DISTANCE OF 169.52 FEET; THENCE RUN $S88^{\circ}27'21''E$ A DISTANCE OF 105.45 FEET; THENCE RUN $S01^{\circ}32'39''W$ A DISTANCE OF 5.00 FEET; THENCE RUN $S88^{\circ}27'21''E$ A DISTANCE OF 118.94 FEET; THENCE RUN $S01^{\circ}32'39''W$ A DISTANCE OF 3.00 FEET; THENCE RUN $S88^{\circ}27'21''E$ A DISTANCE OF 237.39 FEET; THENCE RUN $S01^{\circ}32'39''W$ A DISTANCE OF 1.00 FEET; THENCE RUN $S88^{\circ}27'21''E$ A DISTANCE OF 298.62 FEET; THENCE RUN $S01^{\circ}32'39''W$ A DISTANCE OF 2.00 FEET; THENCE RUN $S88^{\circ}27'21''E$ A DISTANCE OF 21.28 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 921.25 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF $32^{\circ}54'02''$ AN ARC DISTANCE OF 529.00 FEET; THENCE RUN $S55^{\circ}33'10''E$ A DISTANCE OF 573.46 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHEASTERLY AND HAVING A RADIUS OF 3534.05 FEET; THENCE RUN SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF $02^{\circ}46'26''$ AN ARC DISTANCE OF 171.09 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE NORTHEASTERLY AND HAVING A RADIUS OF 588.68 FEET; THENCE RUN SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF $45^{\circ}03'45''$ AN ARC DISTANCE OF 462.99 FEET TO THE EAST LINE OF THE SOUTHWEST 1/4 OF SAID SECTION 36; THENCE DEPARTING SAID RIGHT OF WAY LINE RUN $S00^{\circ}39'53''W$ ALONG SAID EAST LINE A DISTANCE OF 645.32 FEET TO THE SOUTH 1/4 SECTION CORNER OF SAID SECTION 36; THENCE RUN $S89^{\circ}10'55''E$ ALONG THE SOUTH LINE OF SAID SECTION 36 A DISTANCE OF 1317.90 FEET TO THE NORTHEAST CORNER OF GOVERNMENT LOT 2 OF SAID SECTION 1; THENCE DEPARTING SAID SOUTH LINE RUN $S00^{\circ}57'57''W$ ALONG THE EAST LINE OF SAID GOVERNMENT LOT 2 A DISTANCE OF 1319.63 FEET TO THE SOUTH LINE OF THE NORTH 1/2 OF SAID GOVERNMENT LOT 2; THENCE RUN $N89^{\circ}10'19''W$ ALONG SAID SOUTH LINE AND THE SOUTH LINE OF GOVERNMENT LOT 3 OF SAID SECTION 1 A DISTANCE OF 2632.64 FEET TO THE WEST LINE OF SAID GOVERNMENT LOT 3; THENCE RUN $N00^{\circ}51'18''E$ ALONG SAID WEST LINE A DISTANCE OF 1319.20 FEET

TO THE SOUTH LINE OF THE AFORESAID SECTION 36; THENCE RUN N89°10'49"W ALONG SAID SOUTH LINE A DISTANCE OF 1287.27 FEET TO THE POINT OF BEGINNING.

LESS THAT PORTION DESCRIBED AS FOLLOWS:

NORTHERLY PARCEL

THAT PORTION OF SECTION 36 TOWNSHIP 19 SOUTH, RANGE 25 EAST, AND THAT PORTION OF WEBLEY'S SUBDIVISION, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 1, PAGE 22, PUBLIC RECORDS OF SUMTER COUNTY, FLORIDA, ALL LYING WITHIN LAKE COUNTY, FLORIDA DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SAID SECTION 36; THENCE RUN N00°39'25"E ALONG THE WEST LINE OF THE SOUTHWEST 1/4 OF SAID SECTION 36 A DISTANCE OF 1506.84 FEET FOR THE POINT OF BEGINNING; THENCE CONTINUE N00°39'25"E ALONG SAID WEST LINE A DISTANCE OF 1132.13 FEET TO THE WEST 1/4 SECTION CORNER OF SAID SECTION 36; THENCE CONTINUE N00°39'25"E ALONG THE WEST LINE OF THE NORTHWEST 1/4 OF SAID SECTION 36 A DISTANCE OF 207.51 FEET; THENCE DEPARTING SAID WEST LINE RUN S83°07'31"E A DISTANCE OF 131.38 FEET; THENCE RUN S47°59'34"E A DISTANCE OF 229.39 FEET; THENCE RUN S72°37'08"E A DISTANCE OF 1059.40 FEET TO THE EAST LINE OF GOVERNMENT LOT 5 OF SAID SECTION 36; THENCE RUN S00°39'34"W A DISTANCE OF 1101.70 FEET TO THE NORTHERLY RIGHT OF WAY OF WOODLEA/LANE PARK ROAD PER MAINTENANCE MAP DATED SEPTEMBER 15, 2004 AS RECORDED IN MAINTENANCE MAP BOOK 9, PAGES 89 THROUGH 94, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, SAID POINT BEING SITUATED ON A NON-TANGENT CURVE CONCAVE SOUTHWESTERLY TO WHICH A RADIAL LINE BEARS N16°29'28"E AND HAVING A RADIUS OF 961.18 FEET; THENCE RUN ALONG THE NORTHERLY AND WESTERLY RIGHT OF WAY LINE OF SAID WOODLEA/LANE PARK ROAD THE FOLLOWING 11 COURSES: NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 14°56'49" AN ARC DISTANCE OF 250.74 FEET; THENCE RUN N88°27'21"W A DISTANCE OF 21.28 FEET; THENCE RUN N01°32'39"E A DISTANCE OF 2.00 FEET; THENCE RUN N88°27'21"W A DISTANCE OF 298.62 FEET; THENCE RUN N01°32'39"E A DISTANCE OF 1.00 FOOT; THENCE RUN N88°27'21"W A DISTANCE OF 237.39 FEET; THENCE RUN S01°32'39"W A DISTANCE OF 7.00 FEET; THENCE RUN N88°27'21"W A DISTANCE OF 118.94 FEET; THENCE RUN N01°32'39"E A DISTANCE OF 6.00 FEET; THENCE RUN N88°27'21"W A DISTANCE OF 105.45 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTHEAST AND HAVING A RADIUS OF 248.00 FEET; THENCE RUN SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 17°13'39" AN ARC DISTANCE OF 74.57 FEET; THENCE DEPARTING SAID NORTHERLY RIGHT OF WAY LINE RUN N47°31'04"W A DISTANCE OF 288.25 FEET TO THE POINT OF BEGINNING.

ALSO LESS THAT PORTION DESCRIBED AS FOLLOWS:

SOUTHERLY PARCEL

THAT PORTION OF SECTION 36, TOWNSHIP 19 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SAID SECTION 36; THENCE RUN S89°10'49"E ALONG THE SOUTH LINE OF SAID SECTION 36 A DISTANCE OF 30.00 FEET TO THE EASTERLY AND SOUTHERLY RIGHT OF WAY LINE OF LANE PARK/WOODLEA ROAD PER MAINTENANCE MAP DATED SEPTEMBER 15, 2004 AS RECORDED IN MAINTENANCE MAP BOOK 9, PAGES 89 THROUGH 94, PUBLIC RECORDS OF LAKE COUNTY,

FLORIDA, SAID POINT BEING THE POINT OF BEGINNING; THENCE DEPARTING SAID SOUTH LINE RUN ALONG SAID EASTERLY AND SOUTHERLY RIGHT OF WAY THE FOLLOWING 19 COURSES: N00°38'00"E A DISTANCE OF 987.04 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 312.21 FEET; THENCE RUN NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 29°17'52" AN ARC DISTANCE OF 159.65 FEET; THENCE RUN N60°04'08"W A DISTANCE OF 9.00 FEET TO A POINT ON A NON-TANGENT CURVE CONCAVE SOUTHEASTERLY TO WHICH A RADIAL LINE BEARS N60°04'08"W AND HAVING A RADIUS OF 321.21 FEET; THENCE RUN NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 16°51'15" AN ARC DISTANCE OF 94.49 FEET; THENCE RUN N46°47'07"E A DISTANCE OF 20.81 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 217.00 FEET; THENCE RUN NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 44°45'32" AN ARC DISTANCE OF 169.52 FEET; THENCE RUN S88°27'21"E A DISTANCE OF 105.45 FEET; THENCE RUN S01°32'39"W A DISTANCE OF 5.00 FEET; THENCE RUN S88°27'21"E A DISTANCE OF 118.94 FEET; THENCE RUN S01°32'39"W A DISTANCE OF 3.00 FEET; THENCE RUN S88°27'21"E A DISTANCE OF 237.39 FEET; THENCE RUN S01°32'39"W A DISTANCE OF 1.00 FOOT; THENCE RUN S88°27'21"E A DISTANCE OF 298.62 FEET; THENCE RUN S01°32'39"W A DISTANCE OF 2.00 FEET; THENCE RUN S88°27'21"E A DISTANCE OF 21.28 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 921.18 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 32°54'11" AN ARC DISTANCE OF 529.00 FEET; THENCE RUN S55°33'10"E A DISTANCE OF 573.46 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHEASTERLY AND HAVING A RADIUS OF 3534.30 FEET; THENCE RUN SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 02°46'25" AN ARC DISTANCE OF 171.09 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE NORTHEASTERLY AND HAVING A RADIUS OF 588.69 FEET; THENCE RUN SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 45°03'41" AN ARC DISTANCE OF 462.99 FEET TO THE EAST LINE OF THE SOUTHWEST 1/4 OF SAID SECTION 36; THENCE DEPARTING SAID RIGHT OF WAY LINE RUN S00°39'53"W ALONG SAID EAST LINE A DISTANCE OF 645.32 FEET TO THE SOUTH 1/4 SECTION CORNER OF SAID SECTION 36; THENCE RUN N89°10'49"W ALONG THE SOUTH LINE OF THE SOUTHWEST 1/4 OF SAID SECTION 36 A DISTANCE OF 2604.57 FEET TO THE POINT OF BEGINNING.

LESS THAT PORTION DESCRIBED AS FOLLOWS:

THE NORTH 1/2 OF GOVERNMENT LOTS 2 AND 3, SECTION 1, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA.

TOGETHER WITH EASEMENT INTEREST FOR INGRESS AND EGRESS BEING DESCRIBED AS FOLLOWS:

AN EASEMENT 50 FEET IN WIDTH FOR INGRESS AND EGRESS LYING 25 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE: COMMENCE AT THE SOUTHEAST CORNER OF THE S.E. 1/4 OF SECTION 35, TOWNSHIP 19 SOUTH, RANGE 25 EAST, IN LAKE COUNTY, FLORIDA, AND RUN N.00°08'33"E., ALONG THE EAST LINE OF THE S.E. 1/4 A DISTANCE OF 409.00 FEET TO A POINT ON THE NORTH LINE OF THE SOUTH 409 FEET OF THE S.E. 1/4 OF SAID SECTION 35; THENCE N.89°41'37"W., ALONG THE NORTH LINE OF THE SOUTH 409 FEET OF THE S.E. 1/4 A DISTANCE OF 2332.08 FEET; THENCE N.00°18'23"E., 1504.64 FEET TO THE POINT OF BEGINNING OF THIS CENTERLINE DESCRIPTION; FROM SAID POINT OF BEGINNING, RUN N.89°38'22"E., 244.42 FEET TO THE BEGINNING OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 196.47 FEET; THENCE SOUTHEASTERLY ALONG AND WITH SAID CENTERLINE THROUGH A CENTRAL ANGLE OF AN ARC LENGTH OF 280.28 FEET TO THE END OF SAID

CURVE; THENCE S.08°37'28"E., 494.21 FEET TO THE BEGINNING OF A CURVE CONCAVE NORTHERLY AND HAVING A RADIUS OF 366.98 FEET; THENCE SOUTHEASTERLY, EASTERLY AND NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 135°37'59" AN ARC LENGTH OF 868.73 FEET TO THE END OF SAID CURVE; THENCE N.35°44'33"E., 390.91 FEET TO THE BEGINNING OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 300.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 05°07'15" AN ARC LENGTH OF 26.81 FEET TO THE END OF SAID CURVE; THENCE N.30°37'18"E., 175.06 FEET TO A POINT ON A CURVE CONCAVE NORTHERLY AND HAVING A RADIUS OF 279.13 FEET AND A RADIAL BEARING OF S.30°37'18"W.; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 46° 16'47" AN ARC LENGTH OF 225.46 FEET TO THE END OF SAID CURVE; THENCE N.74°20'30"E., 214.14 FEET TO THE BEGINNING OF A CURVE CONCAVE SOUTHERLY AND HAVING A RADIUS OF 272.70 FEET; THENCE EASTERLY AND SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 57°37'34", AN ARC LENGTH OF 274.27 FEET TO THE END OF SAID CURVE; THENCE S.48°01'56"E., 296.94 FEET TO THE BEGINNING OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 200.00 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 12°21'56" AN ARC LENGTH OF 43.16 FEET TO THE END OF SAID CURVE; THENCE S.35°40'00"E., 97.91 FEET, MORE OR LESS, TO THE CENTERLINE OF WOODLEA ROAD (COUNTY ROAD NO. 3-3840); RETURN TO THE POINT OF BEGINNING AND RUN S.89°38'22"W., 318.09 FEET TO A POINT ON A CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF 1000.00 FEET AND A RADIAL BEARING OF S.80°47'03"W.; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 15°56'31" AN ARC LENGTH OF 278.24 FEET TO THE END OF SAID CURVE AND BEGINNING OF A CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 750.00 FEET; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 16°29'10" AN ARC LENGTH OF 215.80 FEET TO THE END OF SAID CURVE AND BEGINNING OF A CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF 750.00 FEET; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 16°28'27", AN ARC LENGTH OF 215.65 FEET AND THE END OF SAID CURVE; THENCE N.06°42'52"E., 187.93 FEET; THENCE S.83°17'08"E., 25.00 FEET TO THE END OF THIS CENTERLINE DESCRIPTION.

LESS AND EXCEPT, ANY RIGHTS-OF-WAYS AS SHOWN ON THE PLAT OF THE PENINSULA, AS RECORDED IN PLAT BOOK 36, PAGES 1 THROUGH 3, INCLUSIVE AND A REPLAT OF THE PENINSULA AS RECORDED IN PLAT BOOK 36, PAGES 32 THROUGH 34, INCLUSIVE, OF THE PUBLIC RECORDS OF LAKE COUNTY, FLORIDA.

CONTAINING 220.09 ACRES, MORE OR LESS.

LESS AND EXCEPT

THAT PORTION OF SECTIONS 35 AND 36 TOWNSHIP 19 SOUTH, RANGE 25 EAST, AND THAT PORTION OF WEBLEY'S SUBDIVISION, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 1, PAGE 22, PUBLIC RECORDS OF SUMTER COUNTY, FLORIDA, ALL LYING WITHIN LAKE COUNTY, FLORIDA DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SAID SECTION 36; THENCE RUN N00°37'54"E ALONG THE EAST LINE OF SAID SECTION 35 A DISTANCE OF 409.04 FEET; THENCE DEPARTING SAID EAST LINE RUN N89°12'23"W A DISTANCE OF 10.04 FEET TO THE WESTERLY AND NORTHERLY RIGHT OF WAY OF LANE PARK/ WOODLEA ROAD PER MAINTENANCE MAP DATED SEPTEMBER 15, 2004 AS RECORDED IN MAINTENANCE MAP BOOK 9, PAGES 89 THROUGH 94, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA; THENCE ALONG SAID WESTERLY AND NORTHERLY RIGHT OF WAY LINE RUN THE FOLLOWING FOUR (4) COURSES: N00°35'37"E A DISTANCE OF 577.95 FEET, TO THE POINT OF CURVATURE OF A CURVE CONCAVE

SOUTHEASTERLY HAVING A RADIUS OF 352.21 FEET, A CHORD BEARING OF N23°40'10"E AND A CHORD LENGTH OF 276.10 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 46°09'07" FOR AN ARC LENGTH OF 283.71 FEET; THENCE RUN N46°44'44"E A DISTANCE OF 20.81 FEET, TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 248.00 FEET, A CHORD BEARING OF N60°31'48"E AND A CHORD LENGTH OF 118.18 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 27°34'08" FOR AN ARC LENGTH OF 119.33 FEET, TO A POINT ON THE SOUTHWESTERLY LINE OF THE PROPERTY DESCRIBED IN OFFICIAL RECORDS BOOK 4086, PAGE 411, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA; THENCE DEPARTING SAID WESTERLY AND NORTHERLY RIGHT OF WAY LINE, RUN N47°32'10"W ALONG THE SOUTHWESTERLY LINE OF SAID PROPERTY A DISTANCE OF 30.90 FEET TO THE POINT OF BEGINNING; THENCE RUN N68°30'30"W A DISTANCE OF 426.89 FEET, TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 25.00 FEET, A CHORD BEARING OF N23°35'30"W AND A CHORD LENGTH OF 35.38 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 90°05'05" FOR AN ARC LENGTH OF 39.31 FEET; THENCE RUN N68°32'57"W A DISTANCE OF 60.00 FEET; THENCE RUN S21°27'03"W A DISTANCE OF 13.87 FEET, TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 437.09 FEET, A CHORD BEARING OF S20°05'39"W AND A CHORD LENGTH OF 20.70 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 02°42'48" FOR AN ARC LENGTH OF 20.70 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 25.00 FEET, A CHORD BEARING OF S64°03'04"W AND A CHORD LENGTH OF 35.56 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 90°39'34" FOR AN ARC LENGTH OF 39.56 FEET, TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 1200.00 FEET, A CHORD BEARING OF N82°05'50"W AND A CHORD LENGTH OF 477.58 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 22°57'22" FOR AN ARC LENGTH OF 480.79 FEET, TO A POINT BEING SITUATED ON A NON-TANGENT CURVE CONCAVE EASTERLY TO WHICH A RADIAL LINE BEARS S87°31'52"W AND HAVING A RADIUS OF 588.00 FEET, A CHORD BEARING OF N09°18'16"E AND A CHORD LENGTH OF 239.95 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 23°32'49" FOR AN ARC LENGTH OF 241.65 FEET, TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE WESTERLY HAVING A RADIUS OF 398.00 FEET, A CHORD BEARING OF N01°27'04"E AND A CHORD LENGTH OF 267.37 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 39°15'14" FOR AN ARC LENGTH OF 272.67 FEET; THENCE RUN N18°10'34"W A DISTANCE OF 782.13 FEET; THENCE RUN S68°26'59"W A DISTANCE OF 50.63 FEET; THENCE RUN N21°37'52"W A DISTANCE OF 217.46 FEET, TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 192.00 FEET, A CHORD BEARING OF N70°05'47"E AND A CHORD LENGTH OF 383.83 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 183°27'19" FOR AN ARC LENGTH OF 614.76 FEET; THENCE RUN N33°17'34"E A DISTANCE OF 241.23 FEET; THENCE RUN N56°42'26"W A DISTANCE OF 482.64 FEET, TO A POINT BEING SITUATED ON A NON-TANGENT CURVE CONCAVE NORTHWESTERLY TO WHICH A RADIAL LINE BEARS N53°17'33"W AND HAVING A RADIUS OF 530.00 FEET, A CHORD BEARING OF N35°00'00"E AND A CHORD LENGTH OF 31.58 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 03°24'52" FOR AN ARC LENGTH OF 31.59 FEET; THENCE RUN N33°17'34"E A DISTANCE OF 98.43 FEET; THENCE RUN N56°42'26"W A DISTANCE OF 113.88 FEET, TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHERLY HAVING A RADIUS OF 25.00 FEET, A CHORD BEARING OF S86°50'43"W AND A CHORD LENGTH OF 29.70 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 72°53'43" FOR AN ARC LENGTH OF 31.81 FEET, TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 60.00 FEET, A CHORD BEARING OF N38°35'52"W AND A CHORD LENGTH OF 119.98 FEET; THENCE RUN ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 182°00'35" FOR AN ARC LENGTH OF 190.60 FEET; THENCE RUN N37°35'34"W A DISTANCE OF 44.17 FEET; THENCE RUN N33°17'34"E A DISTANCE OF 196.85 FEET, MORE

OR LESS, TO THE WATER'S EDGE OF LAKE HARRIS AND A POINT DESIGNATED AS POINT "A". BEGIN AGAIN AT THE POINT OF BEGINNING AND RUN THENCE N47°32'10"W ALONG THE SAID SOUTHWESTERLY LINE OF THE PROPERTY DESCRIBED IN OFFICIAL RECORDS BOOK 4086, PAGE 411, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, A DISTANCE OF 257.47 FEET TO A POINT ON THE WEST LINE OF SAID PROPERTY, ALSO BEING A POINT ON THE WEST LINE OF THE SOUTHWEST 1/4 OF SAID SECTION 36; THENCE N00°37'54"E ALONG SAID WEST LINE OF PROPERTY AND SAID WEST LINE OF THE SOUTHWEST 1/4, A DISTANCE OF 1132.00 FEET TO THE WEST 1/4 CORNER OF SAID SECTION 36; THENCE N00°37'23"E ALONG THE WEST LINE OF THE NORTHWEST 1/4 OF SAID SECTION 36, ALSO BEING THE WEST LINE OF SAID PROPERTY, A DISTANCE OF 207.71 FEET TO THE NORTHWEST CORNER OF SAID PROPERTY; THENCE FROM SAID NORTHWEST CORNER RUN S83°08'20"E ALONG THE NORTH LINE OF SAID PROPERTY, A DISTANCE OF 131.40 FEET; THENCE S48°00'26"E ALONG SAID NORTH LINE OF PROPERTY, A DISTANCE OF 229.39 FEET; THENCE S72°38'21"E ALONG SAID NORTH LINE OF PROPERTY, A DISTANCE OF 1059.55 FEET TO THE NORTHEAST CORNER OF SAID PROPERTY, SAID NORTHEAST CORNER BEING SITUATED ON THE EAST LINE OF GOVERNMENT LOT 5 OF SAID SECTION 36 AND LYING N00°37'57"E, 1101.70 FEET AS MEASURED ALONG SAID EAST LINE FROM THE AFORESAID NORTHERLY RIGHT OF WAY LINE OF WOODLEA ROAD; THENCE FROM THE NORTHEAST CORNER OF SAID PROPERTY RUN N00°37'57"E ALONG THE EAST LINE OF SAID GOVERNMENT LOT 5 AND THE EAST LINE OF GOVERNMENT LOT 4 OF SAID SECTION 36, A DISTANCE OF 439 FEET, MORE OR LESS, TO A POINT ON THE LAKE'S EDGE OF SAID LAKE HARRIS AND HAVING A WITNESS TIE OF N00°37'57"E, 1538 FEET, MORE OR LESS, FROM THE SAID NORTHERLY RIGHT OF WAY LINE OF WOODLEA ROAD; THENCE FROM SAID POINT RUN NORTHWESTERLY ALONG AND WITH THE LAKE'S EDGE OF SAID LAKE HARRIS TO INTERSECT THE AFORESAID POINT "A" AND END OF THIS DESCRIPTION.

CONTAINING 58.81 ACRES, MORE OR LESS.

SUBJECT TO EASEMENTS, RIGHT OF WAYS AND RESTRICTIONS OF RECORD.

FOR A TOTAL OF 161.28 ACRES, MORE OR LESS.